

	AUSTRALIA - MELBOURNE	AUSTRALIA – GOVT. HOSPITALS	MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)	MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)	MALAYSIA - PRIVATE HOSP. (PANTAI KL)	MALAYSIA - PRIVATE HOSP. (SDMC)	MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)	SINGAPORE - ALL	CANADA - ONTARIO
Vitamin K	At birth		At birth				At birth		
Tuberculosis (BCG)	At birth		At birth	At birth		At birth	At birth	At birth	
Hepatitis B (1 st dose)	At birth	At birth	At birth	At birth	At birth	At birth	At birth	At birth	
Hepatitis B (2 nd dose)	1 MO	2 MO	1 MO		2 MO	1 MO	6 Wks – 3 MO	1 MO	
Diphtheria	2 – 3 MO	2 MO	2 MO	2 MO	2 MO	2 – 3 MO	6 Wks – 3 MO	3 MO	2 MO
Pertussis (Whooping Cough)	2 – 3 MO	2 MO	2 MO	2 MO	2 MO	2 – 3 MO	6 Wks – 3 MO	3 MO	2 MO
Tetanus (1st dose)	2 – 3 MO	2 MO	2 MO	2 MO	2 MO	2 – 3 MO	6 Wks – 3 MO	3 MO	2 MO
Poliomyelitis (Polio)	2 – 3 MO	2 MO	2 MO	2 MO	2 MO	2 – 3 MO	6 Wks – 3 MO	3 MO	2 MO
Meningitis (HIB 1st dose)	2 – 3 MO	2 MO	2 MO	2 MO	2 MO	2 – 3 MO	6 Wks – 3 MO		2 MO

	AUSTRALIA - MELBOURNE	AUSTRALIA – GOVT. HOSPITALS	MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)	MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)	MALAYSIA - PRIVATE HOSP. (PANTAI KL)	MALAYSIA - PRIVATE HOSP. (SDMC)	MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)	SINGAPORE - ALL	CANADA - ONTARIO
Pneumococcal disease		2 MO		2 MO	2 MO	2 MO – 9 YO (opt)			2 MO
Rotavirus		2 MO			2 MO	2 – 8 MO (opt)			2 MO
Diphtheria	3 – 4 MO	4 MO	3 MO	3 MO	4 MO	3 – 4 MO	3 – 5 MO	4 MO	4 MO
Pertussis (Whooping Cough)	3 – 4 MO	4 MO	3 MO	3 MO	4 MO	3 – 4 MO	3 – 5 MO	4 MO	4 MO
Tetanus (2 nd dose)	3 – 4 MO	4 MO	3 MO	3 MO	4 MO	3 – 4 MO	3 – 5 MO	4 MO	4 MO
Poliomyelitis (Polio)	3 – 4 MO	4 MO	3 MO	3 MO	4 MO	3 – 4 MO	3 – 5 MO	4 MO	4 MO
Hepatitis B		4 MO			4 MO				4 MO
Meningitis (HIB 2 nd dose)	3 – 4 MO	4 MO	3 MO	3 MO	4 MO	3 – 4 MO	3 – 5 MO		4 MO
Pneumococcal disease		4 MO		4 MO	4 MO				4 MO

	AUSTRALIA - MELBOURNE	AUSTRALIA – GOVT. HOSPITALS	MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)	MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)	MALAYSIA - PRIVATE HOSP. (PANTAI KL)	MALAYSIA - PRIVATE HOSP. (SDMC)	MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)	SINGAPORE - ALL	CANADA - ONTARIO
Rotavirus		4 MO			4 MO				4 MO
Diphtheria	4 – 5 MO	6 MO	5 MO	4 MO	6 MO	4 – 5 MO	5 – 6 MO	5 MO	6 MO
Pertussis (Whooping Cough)	4 – 5 MO	6 MO	5 MO	4 MO	6 MO	4 – 5 MO	5 – 6 MO	5 MO	6 MO
Tetanus (3 rd dose)	4 – 5 MO	6 MO	5 MO	4 MO	6 MO	4 – 5 MO	5 – 6 MO	5 MO	6 MO
Poliomyelitis (Polio)	4 – 5 MO	6 MO	5 MO	4 MO	6 MO	4 – 5 MO	5 – 6 MO	5 MO	6 MO
Meningitis (HIB 3 rd dose)	4 – 5 MO	6 MO	5 MO	4 MO	6 MO	4 – 5 MO	5 – 6 MO		6 MO
Hepatitis B (3 rd dose)	5 – 6 MO	6 MO or 12 MO	6 MO	5 MO		5 – 6 MO	5 – 6 MO	5 – 6 MO	
Influenza						6 MO onwards (opt)	6 MO onwards & yearly		6 MO
Pneumococcal disease		6 MO		6 MO	6 MO		5 – 6 MO		12 MO

	AUSTRALIA - MELBOURNE	AUSTRALIA – GOVT. HOSPITALS	MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)	MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)	MALAYSIA - PRIVATE HOSP. (PANTAI KL)	MALAYSIA - PRIVATE HOSP. (SDMC)	MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)	SINGAPORE - ALL	CANADA - ONTARIO
Rotavirus		6 MO			6 MO				
Meningitis (HIB)		12 MO			12 MO				
MMR (Measles, Mumps, Rubella)	12 – 15 MO	12 MO	12 MO	12 MO	12 MO	12 MO	12 – 15 MO	1 – 2 YO	12 MO
Meningococcal C disease		12 MO			12 MO				12 MO
Chicken Pox	12 – 24 MO	18 MO		13 MO	18 MO	15 MO (opt)	12 – 15 MO		15 MO
Diphtheria	18 – 24 MO	4 YO	18 MO	18 MO	4 YO	18 – 24 MO	18 MO	18 MO	18 MO
Pertussis (Whooping Cough) (1 st booster)	18 – 24 MO	4 YO	18 MO	18 MO	4 YO	18 – 24 MO	18 MO	18 MO	18 MO
Polio (1 st booster)	18 – 24 MO	4 YO	18 MO	18 MO	4 YO	18 – 24 MO	18 MO	18 MO	18 MO

	AUSTRALIA - MELBOURNE	AUSTRALIA – GOVT. HOSPITALS	MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)	MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)	MALAYSIA - PRIVATE HOSP. (PANTAI KL)	MALAYSIA - PRIVATE HOSP. (SDMC)	MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)	SINGAPORE - ALL	CANADA - ONTARIO
Meningitis (1 st booster)	18 – 24 MO		18 MO	18 MO			18 MO		18 MO
Tetanus (Booster)	18 – 24 MO	4 YO	18 MO	18 MO	4 YO	18 – 24 MO	18 MO	18 MO	18 MO
Hepatitis A (1 st dose)				24 MO		2 YO (opt)	Above 1 YO		
Hepatitis A (2 nd dose)				30 MO		2.5 - 3 YO	Above 1 YO		
MMR (Booster)	6 – 7 YO	4 YO		5 – 6 YO	4 YO	6 – 7 YO	4 – 6 YO		4 – 6 YO
Chickenpox							4 – 6 YO		
Diphtheria	6 – 7 YO			5 – 6 YO		6 – 7 YO	4 – 6 YO	6 – 7 YO	4 – 6 YO
Tetanus (2 nd Booster)	6 – 7 YO			5 – 6 YO		6 – 7 YO	4 – 6 YO	6 – 7 YO	4 – 6 YO
Polio (2 nd Booster)	6 – 7 YO			5 – 6 YO		6 – 7 YO	4 – 6 YO	6 – 7 YO	4 – 6 YO

	AUSTRALIA - MELBOURNE	AUSTRALIA – GOVT. HOSPITALS	MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)	MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)	MALAYSIA - PRIVATE HOSP. (PANTAI KL)	MALAYSIA - PRIVATE HOSP. (SDMC)	MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)	SINGAPORE - ALL	CANADA - ONTARIO
BCG (if no scar seen)						6 – 7 YO			
HPV 3 doses				9 YO & above		9 YO & above (opt)	Above 10 YO		
DPT Booster (every 10 years thereafter)						15 – 16 YO		11 – 12 YO	
MMR (Booster)								11 – 12 YO	

My Jabs Schedule



Waah h!

Recommended age	Diseases
At birth	Vitamin K 1mg Tuberculosis (BCG) 1458 Hepatitis B (1st dose)
1 month	Hepatitis B (2nd dose) AH3VC24988
2 - 3 months	Diphtheria, Pertussis (Whooping Cough), Tetanus (1st dose) Poliomyelitis (Polio) Meningitis (HIB 1st dose) C4139AC
3 - 4 months	Diphtheria, Pertussis (Whooping Cough), Tetanus (2nd dose) Poliomyelitis (Polio) Meningitis (HIB 2nd dose) C4139AC
4 - 5 months	Diphtheria, Pertussis (Whooping Cough), Tetanus (3rd dose) Poliomyelitis (Polio) Meningitis (HIB 3rd dose) AC20324850 A72088370
5 - 6 months	Hepatitis B (3rd dose) AH3VC 306 83
12 - 15 months	MMR (Measles, Mumps, Rubella)
12 - 24 months	Chicken Pox
18 - 24 months	Diphtheria, Pertussis (Whooping Cough) (1st Booster) Polio (1st Booster) Meningitis HIB (1st Booster) Tetanus (Booster)
6 - 7 years	MMR (Booster) Diphtheria, Tetanus (2nd Booster) Polio (2nd Booster)

AUSTRALIA – GOVT. HOSPITALS

Funded Immunisation Schedule (0-4 years)	
AGE	DISEASE IMMUNISED AGAINST
birth	Hepatitis B Tick the circles as your child is immunised ☒
2 months	- Diphtheria-Tetanus-Whooping Cough - Hepatitis B <i>Haemophilus Influenzae</i> type b (Hib) - Polio - Pneumococcal disease - Rotavirus ☒
4 months	- Diphtheria-Tetanus-Whooping Cough - Hepatitis B <i>Haemophilus Influenzae</i> type b (Hib) - Polio - Pneumococcal disease - Rotavirus ☒
6 months	- Diphtheria-Tetanus-Whooping Cough - Hepatitis B – or at 12 months <i>Haemophilus Influenzae</i> type b (Hib) (may be given depending on vaccine type) - Polio - Pneumococcal disease - Rotavirus** ☒
12 months	- Hepatitis B – or at 6 months <i>Haemophilus Influenzae</i> type b (Hib) - Measles-Mumps-Rubella - Meningococcal C disease ☒
18 months	Chickenpox ☐
4 years	- Diphtheria-Tetanus-Whooping Cough - Measles-Mumps-Rubella - Polio ☐

*Note: Additional vaccines are funded for Aboriginal and Torres Strait Islander children in NT, WA, SA and QLD.

** 3rd dose of vaccine dependent on vaccine brand used.

For more information about immunisation visit the Immunise Australia website at <http://immunise.health.gov.au> or call the Immunise Australia Information Line on **1800 671 811**.

For more information about the Australian Childhood Immunisation Register, visit the Immunisation Register website at www.medicareaustralia.gov.au or call **1800 653 809**.

MALAYSIA - GOVT. HOSPITAL (PUTRAJAYA)

Umur	Vaksin
Lahir	BCG
	Hepatitis B (dos 1)
1 bulan	Hepatitis B (dos 2)
2 bulan	DTaP/DT (dos 1)
	Hib (dos 1)
	IPV(dos 1)
3 bulan	DTaP/DT (dos 2)
	Hib (dos 2)
	IPV (dos 2)
5 bulan	DTaP/DT (dos 3)
	Hib (dos 3)
	IPV (dos 3)
6 bulan	Hepatitis B (dos 3)
	Measles(Sabah)
9 bulan	JE (dos 1) (Sarawak)
10 bulan	JE (dos 2) (Sarawak)
12 bulan	MMR
18 bulan	DTaP/DT (booster)
	IPV (booster)
	Hib (booster)
	JE (dos 3) (Sarawak)

MALAYSIA - PRIVATE HOSP. (PANTAI AMPANG)

MY IMMUNIZATION SCHEDULE

Vaccination	Age	Due Date	Given By / Date
BCG	At Birth		on 14/6/13 by Dr Salamy.
Hepatitis B 1st dose	At Birth		
Hepatitis B 2nd dose	1 month		15/7/13 WAHANA
Hib + DTPP 1st dose	2 months		13/8/13 WAHANA
Rotavirus 1st dose*	2 months		
Hib + DTPP 2nd dose	3 months	13/9/13	13/9/13 WAHANA
Hib + DTPP 3rd dose	4 months	18/10/13	17/11/13 WAHANA
Rotavirus 2nd dose*	4 months		
Hepatitis B 3rd dose	5 months	18/11/13	18/11/13 WAHANA
Rotavirus 3rd dose*	5 months		
Pneumococcal 1st dose*	2 8 months		13/8/13 WAHANA
Pneumococcal 2nd dose*	4 8 months	18/10/13	18/10/13 WAHANA
Pneumococcal 3rd dose*	6 10 months	16/12/13	18/12/13 Dr F Sy
MMR	12 months		
Chicken Pox	13 months		
Pneumococcal 4th dose*	16 months		
Hib + DTPP booster	18 months		
Hepatitis A 1st dose	24 months		
Hepatitis A 2nd dose	30 months		
MMR booster	5-6 years		
DTPP booster	5-6 years		
HPV 3 doses*	9 years and above		

* recommended by Doctor

BCG: Protect Against Tuberculosis (TB)

Hib: Haemophilus influenza type B bacteria

DTPP: Diphtheria, Tetanus, Pertussis-whopping cough & Poliomyelitis

MMR: Measles, Mumps & Rubella HPV: Human Papilloma Virus vaccine, to protect against cervical cancer

Pneumococcal: For prevention of diseases such as pneumonia, meningitis, septicaemia and middle ear infection caused by pneumococcal bacteria

Rotavirus: For prevention of diarrhea caused by rotavirus

HPV: Human Papilloma Virus vaccine, to protect against cervical cancer

Immunisation Record

- As these immunisations may be given by a Doctor/Nurse

(To be completed by Doctor/Nurse giving immunisation)

Child's Name: _____ D.O.B: _____ Loc: _____

Child's Address: _____

Usual age	Date given	Immunisation	Batch No
Birth	—	Hepatitis B (Birth Dose)	—
2 months	10 DEC 2011	Diphtheria/Tetanus/Pertussis/Hepatitis B Inactivated Polio/Hib*1	A21CB
		Pneumococcal 1	F271
		Rotavirus 1	0844
4 months	31 DEC 2011	Diphtheria/Tetanus/Pertussis/Hepatitis B Inactivated Polio/Hib*2	A21CA
	31 DEC 2011	Pneumococcal 2	F446
	31 DEC 2011	Rotavirus 2	0274
6 months	03 APR 2012	Diphtheria/Tetanus/Pertussis/Hepatitis B Inactivated Polio/Hib*3	A21CB270A
		Pneumococcal 3	1590
		Rotavirus 3	

* Haemophilus influenzae type b

RotaTec®
Use by 0789AA 02-2013

Infanrix
LOT: A21CB270A

Immunisation Record

- As these immunisations ma

(To be completed by Doctor/Nurse giving immunisation)

Child's Name: _____ D.O.B: _____ Lo

Child's Address: _____

Usual age	Date given	Immunisation	Batch No
12 months		Measles/Mumps/Rubella 1 <i>Phiorix</i>	<i>AMJR</i> <i>exp 10</i>
		Hib*4 <i>Hiberix</i>	<i>A72C</i> <i>exp 01</i>
		Meningococcal group <i>Neisvac - c</i> <i>vaccine</i>	<i>VNS</i> <i>exp</i>
18 months		Chickenpox (Varicella) <i>Varilrix</i>	<i>4/3/13</i> <i>A72</i> <i>exp</i>
4 years		Diphtheria/Tetanus/Pertussis/ Inactivated Polio 4	
		Measles/Mumps/Rubella 2	

* *Haemophilus influenzae* type b

Immunization Schedule

Age Due	Vaccine	Date	Sign
Birth	BCG	6/6/13	avg.
	1st Hepatitis B	6/6/13	Don
1 month	2nd Hepatitis B	8/7/13	
2 - 3 months	1st DTP & Polio & Hib	18/8/13	✓ 6.3/0
3 - 4 months	2nd DTP & Polio & Hib	3/11/13	✓ 7.54/p
4 - 5 months	3rd DTP & Polio & Hib	5/1/14	
5 - 6 months	3rd Hepatitis B		
12 months	Measles, Mumps, Rubella		
15 months	Chickenpox (Optional)		
18 - 24 months	DTP & Polio & Hib booster		
2 years	1st Hepatitis A (Optional)		
2½ - 3 years	2nd Hepatitis A		
6 - 7 years	DTP & Polio booster		
	MMR booster		
	BCG (if no scar seen)		
15 - 16 years (and every 10 yrs thereafter)	DPT Booster		
Others			

Other Optional Vaccines

Age	Vaccine	Date Vaccinated			
2 months to 9 years	Pneumococcal	8/12			X
2 to 8 months	Rotavirus	3/11/13	8/12/13		
6 months onwards	Influenza				
9 years onwards	HPV				

Handwritten note: R40112

Some notes on Optional Vaccines

G96223

MALAYSIA - PRIVATE HOSP. (SUNWAY MED.)

Immunization Schedule				
Age	Vaccine	Date Given	Signature	Next Appt
At birth	BCG	21/1/12	Mues	
	Hep B	20/1/12	Durdul	
6 wks to 3 months	Hep B, DTaP, Polio, Hib	7/3/12	MJ	2/3/12
	Rotavirus*			
	Pneumococcal*			
3-5 months	DTaP, Polio, Hib	25.4.12	2	
	Rotavirus*			
	Pneumococcal*			
5-6 months	Hep B, DTaP, Polio, Hib	28.6.12	2	28.6.12
	Pneumococcal* ①	23.8.13	2	
12-15 months	Measles, Mumps, Rubella	15.4.13	2	30.11.13
	Chickenpox*			
12-15 months	Pneumococcal* ①	6.11.13	2	25.10.13
18 months	DTaP, Polio, Hib	23.9.13	2	20.9.14
>1 year	Hepatitis A* 1st dose			6.11.14
	Hepatitis A* 2nd dose			
4-6 years	Measles, Mumps, Rubella			
	Chickenpox*			
4-6 years	DTaP, Polio			
>10 years	HPV 1st dose			
	HPV 2nd dose			
	HPV 3rd dose			
>6 months & yearly	Influenza*			
at birth	Vitamin K	20/1/12	Durdul	

HepB, DTaP, Polio, Hib: Hepatitis B, Diphtheria, Tetanus, Pertussis Polio, Haemophilus Influenza B
 HPV: Human Papilloma Virus
 *not recommended

SINGAPORE – ALL

Age	Vaccine	Immunisation Against
At birth	BCC Hepatitis B – 1 st dose	Tuberculosis Hepatitis B
1 month	Hepatitis B – 2 nd dose	Hepatitis B
3 months	DPT/DT – 1 st dose Oral Sabin – 1 st dose	Diphtheria, Pertussis & Tetanus Poliomyelitis
4 months	DPT/DT – 2 nd dose Oral Sabin – 2 nd dose	Diphtheria, Pertussis & Tetanus Poliomyelitis
5 months	DPT/DT – 3 rd dose Oral Sabin – 3 rd dose	Diphtheria, Pertussis & Tetanus Poliomyelitis
5-6 months*	Hepatitis B – 3 rd dose	Hepatitis B
1 year	Hepatitis B – Booster dose for children born to Hepatitis B carrier mothers only	Hepatitis B
1-2 years	MMR - Primary dose	Measles, Mumps & Rubella
18 months	DPT/DT – 1 st booster Oral Sabin – 1 st booster	Diphtheria, Pertussis & Tetanus Poliomyelitis
6-7 years	DT – 2 nd booster Oral Sabin – 2 nd booster	Diphtheria & Tetanus Poliomyelitis
11-12 years	DT – 3 rd booster Oral Sabin – 3 rd booster MMR – Booster dose	Diphtheria & Tetanus Poliomyelitis Measles, Mumps & Rubella

The 3rd dose of Hepatitis B vaccination can be given with the 3rd dose of DPT and Oral Sabin for the convenience of parents.

CANADA - ONTARIO

SOURCE: [HTTP://WWW.PHAC-ASPC.GC.CA/IM/IYC-VVE/IMMUNIZATIONRESULTS-ENG.PHP?P%2FT=9&MONTHS=8&DAYS=2&YEARS=2012#SCHEDULER-FRM](http://www.phac-aspc.gc.ca/im/iyc-vve/immunizationresults-eng.php?p%2ft=9&months=8&days=2&years=2012#scheduler-frm)

Your child should have received the following vaccinations:

2 months old

- **DTaP-IPV-Hib:** [Diphtheria](#), [Tetanus](#), [Whooping Cough](#), [Polio](#), [Hib](#)
- **Pneu-C-13:** [Pneumococcal disease](#)
- **Rot:** Rotavirus

4 months old

- **DTaP-IPV-Hib:** [Diphtheria](#), [Tetanus](#), [Whooping Cough](#), [Polio](#), [Hib](#)
- **Pneu-C-13:** [Pneumococcal disease](#)
- **Rot:** Rotavirus

6 months old

- **DTaP-IPV-Hib:** [Diphtheria](#), [Tetanus](#), [Whooping Cough](#), [Polio](#), [Hib](#)
- ***Influenza:** [The flu](#)

12 months old

- **Men-C:** [Meningococcal disease](#)
- **MMR:** [Measles](#), [Mumps](#), [Rubella](#)
- **Pneu-C-13:** [Pneumococcal disease](#)

15 months old

- **Varicella:** [Chicken Pox](#)

You should anticipate the following vaccinations for your child:

18 months old

- **DTaP-IPV-Hib:** [Diphtheria](#), [Tetanus](#), [Whooping Cough](#), [Polio](#), [Hib](#)

4-6 years

- ****MMR-Var:** [Measles](#), [Mumps](#), [Rubella](#), [Varicella](#)
- **Tdap-IPV:** [Diphtheria](#), [Tetanus](#), [Whooping Cough](#), [Polio](#)